

## Freeform Search

<b>Database:</b>	US Pre-Grant Publication Full-Text Database <b>US Patents Full-Text Database</b> US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
<b>Term:</b>	5588148.pn.
<b>Display:</b>	<input type="text" value="30"/> Documents in <b>Display Format:</b> <input type="text" value="CIT"/> Starting with Number <input type="text" value="1"/>
<b>Generate:</b> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

### Search History

DATE: Tuesday, September 06, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L70</u>	5588148.pn.	1	<u>L70</u>
<u>L69</u>	5953506.pn.	1	<u>L69</u>
<u>L68</u>	6043837.pn.	1	<u>L68</u>
<u>L67</u>	6167441.pn.	1	<u>L67</u>
<u>L66</u>	6260021.pn.	1	<u>L66</u>
<u>L65</u>	6470378	9	<u>L65</u>
<u>L64</u>	L63 and @ay<=1998	57	<u>L64</u>
<u>L63</u>	((prior or befor\$) with (download\$ or transfer\$ or communicat\$ or send\$)) with ((calculat\$ or determin\$) with (free or available) with (byte or memory or space))	76	<u>L63</u>
<u>L62</u>	(prior or befor\$) with ((calculat\$ or determin\$) with (free or available) with (byte or memory or space))	472	<u>L62</u>
<u>L61</u>	(prior or befor\$) with ((calculat\$ or determin\$) with (free or available) with (byte or memory or space)) with (updat\$) with (download\$ or transfer or send\$)	1	<u>L61</u>

<u>L60</u>	L59 and (transfer\$)	2	<u>L60</u>
<u>L59</u>	L58 and pisello and (file adj information)	2	<u>L59</u>
<u>L58</u>	l52 and @ay<=1998	37	<u>L58</u>
<u>L57</u>	L56 and @ay<1998	21	<u>L57</u>
<u>L56</u>	((calculat\$ or determin\$) with (free or available) with (byte or memory or space)) with (updat\$) with (download\$ or transfer or send\$)	27	<u>L56</u>
<u>L55</u>	L54 not l20	138	<u>L55</u>
<u>L54</u>	L53 and @ay<1998	140	<u>L54</u>
<u>L53</u>	((calculat\$ or determin\$) with (free or available) with (byte or memory or space)) with (updat\$)	234	<u>L53</u>
<u>L52</u>	(custom\$ or determin\$) with (download or transfer or file) with (bas\$ or us\$) with ((free or availabl\$) adj5 (space or memory))	70	<u>L52</u>
<u>L51</u>	(custom\$ or determin\$) with (download or transfer or file) with ((free or availabl\$) adj5 (space or memory))	336	<u>L51</u>
<u>L50</u>	(custom\$ or determin\$) with (download or transfer or file) with (free or availabl\$) with (space or memory)	635	<u>L50</u>
<u>L49</u>	L48 not l47	45	<u>L49</u>
<u>L48</u>	L45 and ((forward\$ or send\$ or communicat\$ or transmit\$) with ((free or available) with (byte or memory or space)))	53	<u>L48</u>
<u>L47</u>	L45 and ((forward\$ or send\$ or communicat\$ or transmit\$) with ((free or available) with (byte or memory or space)) with (server or central))	8	<u>L47</u>
<u>L46</u>	L45 and meter	11	<u>L46</u>
<u>L45</u>	L44 and @ay<=1998	364	<u>L45</u>
<u>L44</u>	l40 and (memory adj allocation)	569	<u>L44</u>
<u>L43</u>	L42 and @ay<=1998	12	<u>L43</u>
<u>L42</u>	(pc with (calculat\$ or determin\$) with (free or available) with (byte or memory or space))	23	<u>L42</u>
<u>L41</u>	((calculat\$ or determin\$) with (free or available) with (byte or memory or space))	10247	<u>L41</u>
<u>L40</u>	((calculat\$ or determin\$) with (free or available) with (byte or memory or space))	10247	<u>L40</u>
<u>L39</u>	L38 and ((send or transfer\$ or transmit\$ or communicat\$) with report)	6	<u>L39</u>
<u>L38</u>	(report with (calculat\$ or determin\$) with (free or available) with (byte or memory or space))	14	<u>L38</u>
<u>L37</u>	L36 and region	1	<u>L37</u>
<u>L36</u>	6,032,216.pn.	1	<u>L36</u>
<u>L35</u>	L34 and ((send or transfer\$ or transmit\$ or communicat\$) with report)	6	<u>L35</u>
<u>L34</u>	(report with determin\$ with (free or available) with (byte or memory or space))	13	<u>L34</u>
<u>L33</u>	Woolston.in. and consignment	4	<u>L33</u>
<u>L32</u>	L31 and @ay<1998	16	<u>L32</u>
<u>L31</u>	(determin\$ with (free or available) with (byte or memory or space) with download\$)	44	<u>L31</u>
<u>L30</u>	(determin\$ with (free or available) with (byte or memory or space))	8696	<u>L30</u>

<u>L29</u>	(remot\$ with determin\$ with (free or available) with byte)	0	<u>L29</u>
<u>L28</u>	(remote\$ with determin\$ with (free or available) with byte)	0	<u>L28</u>
<u>L27</u>	(server) same (determin\$ with (free or available) with byte)	7	<u>L27</u>
<u>L26</u>	((server) with client) same (determin\$ with (free or available) with byte)	4	<u>L26</u>
<u>L25</u>	((server) with determin\$ with (free or available) with byte)	7	<u>L25</u>
<u>L24</u>	((client and server) with determin\$ with (free or available) with byte)	3	<u>L24</u>
<u>L23</u>	L22 and @ay<=1998	301	<u>L23</u>
<u>L22</u>	(determin\$ with (free or available) with byte)	414	<u>L22</u>
<u>L21</u>	L19 and ((transmit\$ or communicat\$ or send\$) with (available or free) with (space or memory) with byte)	2	<u>L21</u>
<u>L20</u>	L19 and ((transmit\$ or communicat\$ or send\$) with (available or free) with (space or memory))	66	<u>L20</u>
<u>L19</u>	L18 and @ay<1998	310	<u>L19</u>
<u>L18</u>	(client or computer or pc) with (determin\$ with (free or available) with (space or memory))	578	<u>L18</u>
<u>L17</u>	L16 and @ay<1998	5201	<u>L17</u>
<u>L16</u>	(determin\$ with (free or available) with (space or memory))	8421	<u>L16</u>
<u>L15</u>	L14 and @ay<1998	4	<u>L15</u>
<u>L14</u>	L12 and (transmit with memory with server with client)	11	<u>L14</u>
<u>L13</u>	L12 with (transmit with memory with server with client)	1	<u>L13</u>
<u>L12</u>	(determin\$ with available with memory)	3799	<u>L12</u>
<u>L11</u>	5606508.pn.	1	<u>L11</u>
<u>L10</u>	5710706.pn.	1	<u>L10</u>
<u>L9</u>	6153835.pn.	1	<u>L9</u>
<u>L8</u>	6153835.pn.	1	<u>L8</u>
<u>L7</u>	L5 and (post\$ with rate)	13	<u>L7</u>
<u>L6</u>	L5 and (postage with rate)	13	<u>L6</u>
<u>L5</u>	l1 and (postage with meter)	13	<u>L5</u>
<u>L4</u>	L2 and ((rate or fee or price) with (updat\$))	4	<u>L4</u>
<u>L3</u>	L2 and (rate or fee or price) with (updat)	0	<u>L3</u>
<u>L2</u>	(provid\$ with (fee or rate or price) with updat\$) with (client with server)	4	<u>L2</u>
<u>L1</u>	(provid\$ with rate with updat\$)	329	<u>L1</u>

END OF SEARCH HISTORY